


## ✚ Configuration des différents VLAN:

```
ifconfig eth2 XXX.XXX.XXX.XXX netmask XXX.XXX.XXX.XXX
```

```
ifconfig eth0 XXX.XXX.XXX.XXX netmask XXX.XXX.XXX.XXX
```

```
ifconfig eth1 XXX.XXX.XXX.XXX netmask XXX.XXX.XXX.XXX
```



The screenshot shows a terminal window titled "STAGE" with a DVD Drive 1 dropdown menu set to "<empty>". The terminal output displays the results of several ping tests and a network configuration command. The first ping is to 10.15.61.198, showing 2 packets transmitted and received with 0% loss. The second ping is to 10.15.95.198, also showing 2 packets transmitted and received with 0% loss. The third ping is to 192.168.199.198, showing 3 packets transmitted and received with 0% loss. The final command executed is `ifconfig eth1 10.15.61.198 netmask 255.255.255.0`.

```
64 bytes from 10.15.61.198: icmp_req=1 ttl=64 time=0.041 ms
64 bytes from 10.15.61.198: icmp_req=2 ttl=64 time=0.020 ms
^C
--- 10.15.61.198 ping statistics ---
2 packets transmitted, 2 received, 0% packet loss, time 999ms
rtt min/avg/max/mdev = 0.020/0.030/0.041/0.011 ms
root@STAGE:~# ping 10.15.95.198
PING 10.15.95.198 (10.15.95.198) 56(84) bytes of data:
64 bytes from 10.15.95.198: icmp_req=1 ttl=64 time=0.039 ms
64 bytes from 10.15.95.198: icmp_req=2 ttl=64 time=0.018 ms
^C
--- 10.15.95.198 ping statistics ---
2 packets transmitted, 2 received, 0% packet loss, time 999ms
rtt min/avg/max/mdev = 0.018/0.028/0.039/0.011 ms
root@STAGE:~# ping 192.168.199.198
PING 192.168.199.198 (192.168.199.198) 56(84) bytes of data:
64 bytes from 192.168.199.198: icmp_req=1 ttl=64 time=0.043 ms
64 bytes from 192.168.199.198: icmp_req=2 ttl=64 time=0.025 ms
64 bytes from 192.168.199.198: icmp_req=3 ttl=64 time=0.019 ms
^C
--- 192.168.199.198 ping statistics ---
3 packets transmitted, 3 received, 0% packet loss, time 1998ms
rtt min/avg/max/mdev = 0.019/0.029/0.043/0.010 ms
root@STAGE:~# ifconfig eth1 10.15.61.198 netmask 255.255.255.0
```